

2003 BRAVE 36M

Workhorse Chassis, 41,900 Miles, GVW 20,700 LB

Vin# 5B4MP67GX23354649 Stk# 03182401

Leveling jacks	Spare tire	2 Slide out rooms
Ladder	One piece fiberglass roof	Double electric door step
Trailer hitch	Map light	Store more slideout storage system
Auxillary start	Daytime running lamps	Convenience tray (engine cover)
Dinette	Lounge chair	Drivers door w/ power window
Cruise control	Magazine rack	Antenna check reminder light
Range cover	Pantry slide out	Countertop extension flip up
Microwave	Three burner range	Oven
Light in shower	Make up lights (2)	Medicine cabinet w/ mirrored door
Skylight in shower	Porcelain toilet w/ foot pedal	Double door Refrigerator
Queen bed	Desk w/ folding chair	(2) Night stands
Wardrobe cabinet	Toe kick under galley cabinet	Kenwood AM/FM/CD Player
Decorative wall clock	Monitor panel	Fluorescent ceiling lights
Fire extinguisher	Ground fault interrupter	Dual battery charge control (auto)
(2) Roof air	Furnace 40,000 BTU	Heated holding tank compartment
Washer / Dryer prep	Water purifier system / galley	Water system winterizing valve
Battery disconnect	Water heater by-pass valve	Mirrors/ electric remote with defrost
Motoraid water heater	30 Amp electric system	Courtesy light w/ wall switch
Smoke dector	Porch light	Telephone jack
TV antenna	25" color TV w/ remote	Carbon monoxide detector
LP detector	Onan 5,500 watt generator	Shoreline generator w/ auto changeover
Patio Awning	Rearview monitor system	Exterior entertainment center w/ CD player
Powered roof vent	Showere package	Rear 19' Color TV W/ remote
Power recliner		

2003 BRAVE® 36M

SPECIFICATIONS

Measurements and Capacities:

Length Bumper-to-Bumper	35' 10.8"	Freshwater (without Water Heater)	70 Gal.
Exterior Height with AC		Water Heater	6 Gal.
Ford®	TBD	Holding Tank (Toilet)	40 Gal.
Workhorse™	TBD	Holding Tank (Lavatory/Shower/Galley)	67 Gal.
Exterior Width	8' 6"	Gasoline Tank	75 Gal.
Interior Height	6' 8"	LP Gas	28 Gal. (w.c. ²)
Interior Width	8' .5"	Exterior Storage	TBD

"R" Factors: Sidewalls - 7.02; Roof - 14.62; Floor with Carpet and Pad - 6.36.

¹ The height of each model is based on the curb weight of a typically equipped unit on the standard chassis. The actual height of your vehicle may vary by as much as 2" depending on chassis or equipment variations.

² w.c. = Water capacity. Actual filled LP tank is 80% of listing due to safety shutoff required on tank.

Body Construction/Openings/Trim:

- Assist handle for entering and exiting the main entrance door.
- Awning rail with rain gutter - RH and LH side.
- Backwall - exterior skin, smooth one-piece fiberglass sheet.
- Battery compartment (located in entrance door stepwell).
- Brake light - high mount.
- Bumper (front) - integrally molded into front cap with steel reinforcement.
- Bumper (rear) - aluminum painted.
- Common key lock system for entrance door and exterior compartment doors. Key is double bitted.
- Entrance door - deadbolt lock, integrated with main latch, door holder, and screen door.
- Entrance door step - double electric with door jamb switch, door activated, ignition override, and nonslip tread material on step surfaces.
- Exterior storage compartment doors are full-hinged, integrated into valance panels, use a single paddle latch system, and include gas struts. Compartment bottoms and backs have trunk liner carpet.
- Fuel fill door - recessed.
- Ladder.
- Roof curved - smooth one-piece fiberglass.
- Sidewall - smooth high-gloss one-piece fiberglass sheet with foam sheet insulation.
- Slideout room with **STOREMORE™** slideout storage system which features the HWH Spacemaker™ hydraulic room extension mechanism. **REST EASY™**/dinette slide (front LH), 30" extension, length is approximately 11' 8". Lighted, full-height exterior storage, compartments slide out with the room. Includes slideout cover and overhead cabinets.
- ✓ 2 Slideout room (rear, RH side), bed slides out 30", length is approximately 6' 2".
- Wheel well trim, front and rear - molded plastic.

Automotive Features:

- Leveling jacks, hydraulic front and rear (manual lever control).
- Mud flaps, rear.
- Radial tires.
- ✓ Spare tire - under chassis with carrier.
- Tire tools - includes wrench and leverage bar.

Automotive Features: (Con't)

- **Trailer hitch - 5,000-lb. drawbar/350-lb. maximum vertical tongue weight; includes male trailer plug connector.
- Trailer wiring - fixed mount with female socket connector.
- Wheel liners - stainless steel.

Driver/Passenger Area:

- Carpet in cab with pad and carpeted floor mats in driver and passenger area.
- Convenience tray (engine cover) includes beverage holders.
- Door, driver's cab entry with exterior step includes power raise/lower window, CV window, and vista window. Door includes a trim panel with beverage holder. A 56" vertical interior assist bar is provided for entering and exiting. A "lock/unlock" icon is clearly visible. A courtesy light is located on the inside door panel.
- Front wraparound curtain with track.
- Map light.
- Motor cover - carpeted.
- Seat belts - driver/passenger, three-point shoulder and lap with retractors and four-position adjustable D-loop.
- Seats - driver and passenger with hinged adjustable armrests, high-back frame, and multi-adjustable swivel/slide/recline mechanism.
- Sunvisors.
- Trim panel - passenger side includes a cupholder, recessed storage area with rubber mat bottom, an auxiliary 12-volt DC receptacle, a place for a Kleenex® box, and map storage below.
- Windows, driver and passenger - full slider with screen.
- Windshield - laminated safety glass.

Instrumentation/Accessories:

- Antenna check reminder light located on I.P. - comes on with ignition.
- Automotive heater/air conditioner - blend air system.
- Auxiliary start circuit.
- Cruise control - integrated into steering wheel with standard Ford® chassis; integrated into turn signal lever with Workhorse™ chassis option.
- Daytime running lamps.
- Dual battery charge control (automatic).
- Instrument panel with gauge cluster (analog display).
- Mirrors, exterior low-mount, electric remote with defrost (includes convex mirrors).
- Power assist steering with tilt wheel.
- Radio: AM/FM with weather band, stereo cassette/CD player with four speakers, power switch for main/auxiliary battery, and roof mount antenna.
- Windshield wipers - intermittent with pantograph arms.

Lounge/Dining (Slideout*):

- Decorative light* over dining table.
- Djinette* (mid LH) with cupholders, beveled wood table edge, and access to storage below seats w/ sprung cushion frame).
- Lounge chair (front RH) hoop base, high-back with swivel/glide feature.

**NOTE: The towing capacity on specific models may vary relative to variations in the coach's loaded weight (refer to owner's manual).

Lounge/Dining (Slideout*): (Con't)

- Magazine rack.
- Reading lights* - adjustable brass, located in overhead above REST EASY™.
- REST EASY™* multi-position lounge with power recliner (front LH), includes one throw pillow.

Galley:

- Countertop extension flip-up.
- Galley rail.
- Microwave oven, 24" over the range, touch control with range fan and exterior vent.
- Pantry - slide out with adjustable shelves.
- Range (three-burner, one is high output) with oven, enamel door.
- Range cover.
- Refrigerator/freezer - large double door, two-way LP gas/electric with electronic controls.
- Sink - double, molded with single-control faucet and sink cover (countertop material).
- Storage cabinet - upper pantry cabinet includes adjustable shelves. A beveled decorative mirror is located below the upper cabinet. A countertop is provided. The lower cabinet includes adjustable shelves and provides the location for the optional washer/dryer.
- Toe-kick provided under galley cabinet.
- Wallpaper border - decorative.
- Wastepaper basket.

Bath:

- Bath door - recessed, with wood jamb, lockable, includes three-rod towel rack; surface mount.
- Lavatory cabinet.
- Light in shower with wall switch.
- Make-up lights (2) - three bulb.
- Medicine cabinet with a mirrored door and fixed shelves.
- Mirror - wall, framed.
- Shower with wall surround, includes bottle retainer rod, single-control faucet with fixed shower head, and textured glass shower door.
- Sink - oval with dual-control faucet.
- Skylight located in shower.
- Toilet - porcelain with foot pedal and sprayer.
- Towel ring.

Bedroom (Slideout*):

- Bed* (queen) with bed base cabinet, access to storage below (gas springs), includes nonslip mattress mat, bedspread, pillow shams, and pillows.
- Desk with folding chair - located in the left-hand rear corner.
- Decorator wall lamps* (2) - located on the end walls of the slideout room.
- Nightstands (2) each with a drawer.
- Wallpaper border - decorative.
- Wardrobe cabinet - located across the backwall, lighted with carpeted floor, includes clothes rod, three mirrored doors, and drawers.

Interior:

- Assist bar for entering and exiting the main entrance door.
- Decorative picture - framed (located on rear wall in bathroom).
- Decorative wall clock.
- Fluorescent ceiling lights (recessed) in lounge/galley area.
- Monitor panel (wall mount) located on outside bath wall in hallway. Includes: battery condition gauge, holding tank level (two tanks), LP tank level, water pump switch, water tank level, water heater switch with two lights, generator start/stop switch, and generator hourmeter gauge.
- Room divider - sliding door separates bedroom from bath.

Safety Features:

- Appliance tie-downs.
- Detector/alarm - carbon monoxide.
- Detector/alarm - LPG leak.
- Detector/alarm - smoke.
- Escape window.
- Fire extinguisher 10 B.C.
- Ground fault interrupter.

Systems:

- 2 A/C roof mount - two high-efficiency with POWERLINE™ Energy Management System ducted with ceiling distribution (adjustable vents).
- City water hook-up with tank diverter fill, gravity water tank fill with lockable door, and 1" freshwater tank drain located in service center compartment.
- Exterior wash station with pump switch, drip tray, and both hot and cold water, located in the service center compartment.
- Furnace - 40,000 BTU, ducted low profile.
- Holding tank compartment, heated.
- Holding tank flushing system (black tank only).
- LP tank, permanent mount with gauge.
- Motoraid water heater, six-gallon electronic ignition with auxiliary automotive heater.
- Roof vents - nonpowered in galley and powered in bath.
- Sewer hose - 10' with storage in service center area.
- Washer/dryer prep - includes drainage, water and electrical connections.
- Water heater by-pass valve for simplifying winterization of the vehicle.
- Water pump, demand - permanent magnet motor with diaphragm.
- Water purification system - galley cold water only (Everpure®).
- Water system drain - through floor.
- Water system winterizing valve, manual with draw tube which utilizes the water pump to allow you to draw RV antifreeze into waterlines.

Electrical:

- AC/DC electrical distribution system with DC breaker panel, AC breaker panel, remote 45-amp. converter/charger (110-volt AC/12-volt DC), and exterior AC duplex receptacle.
- Battery disconnect system, coach (switch located near entrance door).
- Battery - two-deep cycle, marine/RV.
- Cable for rearview monitor system (cable with coax end only).

2003 Winnebago Brave® 36M

Retail Price List

2003 Ford® Chassis -- 20,500-lb. GVWR - August 5, 2002

Base Price 101,332
~~\$100,947~~

Z Package 105,490
~~\$105,105**~~

<u>Color Selections</u>	<u>Interior Color</u>	<u>Color Selections</u>	<u>Interior Color</u>	<u>Color Selections</u>	<u>Interior Color</u>
P37 Sand Frost	Neutral/ Portsmouth Oak	P38 Sagebrush	Green/ Portsmouth Oak	P39 Blue Cameo	Blue/ Portsmouth Oak

All Color Selections w/Bright White Skin and Silver Blue Metallic, Medium Blue Metallic, and Ember Blue Metallic Graphics and One of the Following Exterior Paint Packages.

- | | | |
|---------------------------|-----|--|
| 27G Opal Blue Metallic | N/C | (Recommended with the Sand Frost or Blue Cameo Interior Decors.) |
| 92K Light Silver Metallic | N/C | (Recommended with Any of the Above Interior Decors.) |

NOTE: Options May be Ordered Individually or in Convenient Z Option Package.

Pkg	Opt #	Description	Price
Z	52F ✓	Awning, Patio (N/A in Canada)	665
	265	Canadian Housing & Motor Vehicle Standards	679
Z	26U	Coffeemaker	91
Z	36N	Defroster Fans	119
	21L	Dining Table & Four Chairs (Two Folding, Two Freestanding) (Replaces Std. BENCHMARK™ Dinette)	665
	78J	Electrical System - 50 Amps. w/Superflex Power Cord (Permanently Attached)	315
	76C	Exterior Entertainment Center w/Cassette & Table (N/A w/Opt. #1D5)	343
Z	ID5 ✓	Exterior Entertainment Center w/CD Player & Table (N/A w/Opt. #76C)	525
	16K	Ford® Chassis (2003) - 22,000-lb. GVWR	427
	14K	Generator - 7,000-Watt Onan® Marquis Gold™, Gasoline (Replaces Std. Generator)	1,155
	29R	Heat Pumps (2) for Standard High-Efficiency Roof Airs	525
	40B ✓	Inverter - 300-Watt AC/DC	441
	40J	Radio, CB Prep	70
	132	Range Top - Three-Burner w/Storage Drawers Below (Deletes Std. LP Oven)	(70)
Z	74J ✓	Rearview Monitor System w/Single Camera & One-Way Audio	1,036
	79W	Refrigerator/Freezer - Four-Door w/Icemaker, Two-Way, LP Gas/Electric (Deletes Pantry)	2,149
	15U	Refrigerator/Freezer - Large Double-Door w/Icemaker, Two-Way LP Gas/Electric	315
Z	41M ✓	Roof Vent, Powered Ventilator Fan (Galley)	175
	64Q	Seat Pedestal, Driver's - Six-Way Power Assist	350
	74N	Seats - Driver & Passenger, Leather Faced	665
Z	9B1 ✓	Shower Package (Includes Hand-Held Shower Head & Fold-Down Shower Seat)	259
	29Q	Solar Panel/Battery Charger, 10-Watt	182
Z	42Q ✓	TV - Rear AC 19" Color w/Remote	315
	48Q	TV Satellite Dish Antenna - RV Digital (Does Not Include Receiver or Programming Activation)	350
	24W	Undercoating (N/A w/Ford® chassis) (Requires Opt. #1PN)	294
	72H	VCR w/AV Port & Remote	224
	54E	Washer/Dryer Combination	1,302
Z	53D	Water Heater - Six-Gallon, LP Gas/Electric w/Electronic Ignition, Auxiliary Rear Auto Heater, & Motoraid	224
	13Y	Windows, Dual Glazed, Thermo-Insulated	1,050
	1PN ✓	Workhorse™ Chassis (2003) - 20,700-lb. GVWR	2578 2,908
Z	1BH	Workstation - In Dash	224
Total Z Package			\$3,633

** Total includes equalized freight charge of \$515 plus \$10 fuel allotment. Does not include freight surcharges for delivery over 2,000 miles from Forest City, IA or individual state DOH charges.

WINNEBAGO INDUSTRIES RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE. PRICE CHANGES WILL BE MADE BY WRITTEN NOTICE. WINNEBAGO INDUSTRIES, INC. FOREST CITY, IOWA 50536

Electrical: (Con't)

- Courtesy light with wall switch.
- Electrical system - 30 amps. with power cord located in electrical service center compartment.
 - Exterior compartment light in service center.
- Generator - 5,500-watt Onan® Marquis Gold™, gasoline, includes 110-volt AC wiring, generator hourmeter gauge, generator start/stop switch located in I.P., on generator, and in monitor panel.
- Porch light - surface mount with interior switch and interior stepwell light.
- Shoreline generator automatic changeover switch.
- Wall switches for all ceiling lights.

Entertainment:

- Telephone jack, interior located in the front cab area.
 - TV antenna, amplified system with DC receptacle, cable input, coax wiring, interior antenna jacks (2), and a TV shelf located above the corner desk in the bedroom.
 - TV - front AC 25" color with remote.
 - TV satellite system ready, includes both coax cable and elevation sensor wiring laminated within roof.
 - Video selection system.
-
-