



FOREST CITY, IOWA USA

THIS LABEL IS NOT REQUIRED BY LAW, HOWEVER, WINNEBAGO INDUSTRIES INC. AND
GEO. R. PIERCE, INC.
BELIEVE YOU HAVE A RIGHT TO BE INFORMED OF FAIR PRICING LEVELS TO HELP YOU READILY
COMPARE THE RELATIVE VALUE OF RECREATIONAL VEHICLES YOU MAY BE CONSIDERING

VEHICLE DESCRIPTION	DIMENSIONS	CAPACITIES
MAKE: WINNEBAGO JOURNEY	EXTERIOR LENGTH: 37'3"	FUEL: 100 GAL FRESHWATER: 95 GAL
MODEL: 2013 WKP36M	EXTERIOR WIDTH: 8'5.5"	HOLDING TANK - BLACK: 46 GAL
SERIAL NUMBER: 10P94P275169	EXTERIOR HEIGHT: 12'9"	HOLDING TANK - GRAY: 61 GAL
CHASSIS VIN: 4UZACVDTXDCFG1446	<small>Note: Exterior height of vehicle is measured to the highest standard feature on the roof and will vary due to chassis variance, option selection, fluids, and other loading factors.</small>	LPG (FILLABLE TO 80%): 28 GAL
360 HP ENGINE		<small>Note: Capacities are estimates based on calculations and represent approximate numbers. Capacities may vary based on fabrication and installation of tanks and compartments.</small>

OPTIONS INSTALLED BY MANUFACTURER	RETAIL
DF2 TRAVERTINE/TAN/GL VIENNA MAP	553
IDF EXT TV ENTERTAINMENT CENTER	1,540
1JB TV-40"-(FRONT) COLOR, STEREO	1,148
15D INFOTAINMENT CENTER/GPS	2,023
15L RESIDENTIAL REFRIGERATOR PKG W/2.8K INVERTER & 2BATTERIES	413
21S WASHER & DRYER-PAIR	1,750
23N COMPARTMENT TRAY SLIDEOUT	805
27A FULL BODY PAINT HARVEST NIGHT	NC
41Y FAN - CEILING,BEDROOM	119
434 RESTEASY SGL UL LH 60X75	560
548 FLR-TILE, BDRM (EXCHANGE)	770
70C RADIO - SATELLITE	126
783 SATELLITE HD TV SYSTEM AUTOC	2,065

MANUFACTURER'S SUGGESTED BASE PRICE	\$ 254,387
TOTAL OPTIONS	\$ 11,872
DELIVERY & HANDLING CHARGE	1,103
TOTAL BASE, OPTIONS, & DELIVERY CHARGE	\$ 267,362

Manufacturer's suggested retail price does not include state and local taxes, dealer prep and / or options installed by the dealer. Winnebago Industries, Inc. reserves the right to change prices and specifications without notice.



2013 Journey



STANDARD EQUIPMENT AT NO EXTRA CHARGE (unless replaced by Optional Equipment)

Chassis

Maxum® Freightliner® Chassis 340-hp Cummins® ISB 6.7L turbo-charged engine (34B)
 Maxum Freightliner Chassis 360-hp Cummins ISB XT 6.7L turbo-charged diesel engine (36M)
 Maxum Freightliner Chassis 380-hp Cummins ISC 8.3L turbo-charged diesel engine (40U)
 Tag-axle Maxum Freightliner Chassis 400-hp Cummins ISL 8.9L turbo-charged diesel engine (42E)
 Allison® 6-speed automatic 2500 MH transmission (34B)
 Allison 6-speed automatic 3000 MH transmission (36M, 40U, 42E)
 Information display center
 Rear radiator
 NeWay® front and rear air suspension
 160-amp. alternator
 Air brakes w/ABS
 Engine exhaust brake
 Quick-connect air connection w/manual shut off
 Automatic hydraulic leveling jacks
 7-pin trailer wiring
 Trailer Hitch* 10,000-lb. drawbar/500-lb. maximum vertical tongue weight (34B, 36M, 40U)
 Trailer Hitch* 15,000-lb. drawbar/1,500-lb. maximum vertical tongue weight (42E)
 Stylized aluminum wheels

Cab Conveniences

Cab Seats adjustable armrests, lumbar support and multi-adjustable slide/recline/swivel
 Power driver seat
 Power passenger seat
 Passenger seat w/footrest
 RV Radio®/Rearview Monitor System 6.5" LCD touch screen, CD player, weather band, remotes, iPod®/MP3 input, rearview color camera and sideview camera system
 Cruise control
 12-volt powerports
 Powered stepwell cover
 Powered MCD American Duo® solar/blackout roller shades (front windshield)
 Defroster fans
 MCD American Duo solar/blackout roller shades (driver and passenger windows)
 Chassis/house battery radio power switch
 Power mirrors w/defrost, turn signal indicator, and sideview camera
 TRW® tilt/telescopic steering column w/foot actuated pedal
 Map lights
 Power door lock w/remotes
 C.B. wire prep

Interior

Dining table/buffet w/40" retractable LCD TV (34B)
 40" LCD TV (mid-coach) (36M, 40U, 42E)
 Blu-Ray® home theater system
 Satellite system ready
 Digital TV amplified antenna system
 HDMI Matrix central video selection system
 Key-activated slideroom master lock switch
 MCD American Duo solar/blackout roller shades (lounge, dinette and bedroom)
 Soft vinyl ceiling

Accent rope lighting
 OnePlace® systems center
 Tinted dual-glazed/thermo-insulated/flush-mounted coach windows
 Powered ventilator fan (galley, bath)

Galley

Corian® countertops
 4-door refrigerator/freezer w/icemaker
 Microwave/convection oven w/vented range fan
 3-burner range top w/storage below
 Corian range and sink covers
 Cold water filtration system

Bath

Corian countertop and backsplash
 Flexible showerhead
 Textured glass shower door
 Skylight
 Porcelain toilet
 Area Rug (42E)

Bedroom

26" LCD TV (42E)
 32" LCD TV (34B, 36M, 40U)
 Queen bed w/innerspring mattress (34B, 36M, 40U)
 Powered queen bed w/Ideal Rest® Natural Reserve digital comfort control mattress w/remotes (42E)
 Bedspread, pillows, and pillow shams

Exterior

Powered patio awning w/wind sensor
 KeyOne® lock system
 Porch lights
 Powered entrance awning
 Lighted storage compartments
 Driver's side docking/service light
 Lighted stepwell
 Storage containers w/lids (4)
 Movable/removable floor panels in main storage bay
 Automatic entrance steps
 Auxiliary side lamps
 Ladder
 Rear mud flaps
 Full-width mudguard
 Lower front protective mask
 Premier clarcoat automotive finish

Heating & Cooling System

TrueAir® Maximum Comfort A/C, 13,500 BTU (2 cooling units 34B, 36M; 3 cooling units 40U, 42E)
 A/C heat pumps
 Two 20,000 BTU ducted furnaces (34B, 36M)
 One 20,000 BTU ducted furnace and one 25,000 BTU ducted furnace (40U, 42E)
 Dual-zone thermostat (34B, 36M)
 Triple-zone thermostat (40U, 42E)

Electrical System

Service Center lighted, cable input, 50-amp. power cord, QuickPort®, shoreline/generator automatic changeover switch, portable satellite hookup
 2,000-watt inverter/charger w/remote panel (2,800-watt w/optional French door refrigerator)
 8,000-watt Cummins Onan® Quiet Diesel™ generator
 Cummins Onan Energy Command™ automatic

generator start system
 Auxiliary start circuit
 AC/DC electrical distribution system
 4 Deep-cycle Group 31 marine/RV AGM batteries (6 batteries w/optional French door refrigerator)
 Battery disconnect system (coach and chassis)
 Powerline® Energy Management System
 Automatic dual-battery charge control
 Chassis battery charger/maintainer
 Exterior TV jack and AC duplex

Plumbing System

Service Center pressurized city water hookup w/diverter fill, fresh water drain, drainage valves, exterior wash station w/pump switch, holding-tank flushing system, 20' sewer hose, QuickPort, QuickConnect®, lights
 On-demand water pump
 10-gallon water heater 110V/LP gas w/motoraid
 TrueLevel™ holding-tank monitoring system
 Winterization Package water heater bypass valve and siphon tube
 Full-coach water filtration system
 LP tank w/gauge
 LPG accessory connection (patio area)
 Heated holding-tank compartment

Safety

Seat belts
 LP, smoke and carbon monoxide detectors
 10 BC fire extinguisher
 Ground fault interrupter
 Fog lamps
 High-mount brake lamps

Warranty⁷

12-month/15,000-mile basic warranty*
 36-month/36,000-mile limited warranty on structure*
 10-year limited parts-and-labor warranty on roof skin*

- The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by several inches depending on chassis or equipment variations. Please contact your dealer for further information.
- Journey floorplans feature a wide-body design—over 96". In making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
- The load capacity of your motor home is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor home.
- Capacities are based on measurements prior to tank installation. Slight capacity variations can result due to installation applications.
- Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
- Actual towing capacity is dependent on your particular loading and towing circumstances which includes the GVWR, GAWR, and GCWR, as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.
- See separate chassis warranty.
- See your dealer for complete warranty information.

NA Not Available

Not all items available in combination. See dealer for details.

Winnebago Industries® continuing program of product improvement makes specifications, equipment, model availability, and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available at printing.

NOTES:

CSA specs may vary

STANDARD EQUIPMENT AT NO**Chassis**

Maxum® Freightliner® Chassis 340-hp Cummins® ISB 6.7L turbo-charged engine (34B)

Maxum Freightliner Chassis 360-hp Cummins ISB XT 6.7L turbo-charged diesel engine (36M)

Maxum Freightliner Chassis 380-hp Cummins ISC 8.3L turbo-charged diesel engine (40U)

Tag-axle Maxum Freightliner Chassis 400-hp Cummins ISL 8.9L turbo-charged diesel engine (42E)

Allison® 6-speed automatic 2500 MH transmission (34B)

Allison 6-speed automatic 3000 MH transmission (36M, 40U, 42E)

Information display center

Rear radiator

NeWay® front and rear air suspension

160-amp. alternator

Air brakes w/ABS

Engine exhaust brake

Quick-connect air connection w/manual shut off

Automatic hydraulic leveling jacks

7-pin trailer wiring

Trailer Hitch⁶ 10,000-lb. drawbar/500-lb. maximum vertical tongue weight (34B, 36M, 40U)

Trailer Hitch⁶ 15,000-lb. drawbar/1,500-lb. maximum vertical tongue weight (42E)

Stylized aluminum wheels

Cab Conveniences

Cab Seats adjustable armrests, lumbar support and multi-adjustable slide/recline/swivel

Accen

OnePl

Tinted

coach

Power

Gal

Corian

4-door

Micro

3-burn

Corian

Cold v

Bat

Corian

Flexib

Textur

Skylig

Porcel

Area F

Bed

26" L

32" L

Queen

Power

digital

Bedspr

Exte

Vertical tongue weight (42E)
Stylized aluminum wheels

Cab Conveniences

Cab Seats adjustable armrests, lumbar support and multi-adjustable slide/recline/swivel

Power driver seat

Power passenger seat

Passenger seat w/footrest

RV Radio®/Rearview Monitor System 6.5" LCD touch screen, CD player, weather band, remotes, iPod®/MP3 input, rearview color camera and sideview camera system

Cruise control

12-volt powerpoints

Powered stepwell cover

Powered MCD American Duo® solar/blackout roller shades (front windshield)

Defroster fans

MCD American Duo solar/blackout roller shades (driver and passenger windows)

Chassis/house battery radio power switch

Power mirrors w/defrost, turn signal indicator, and sideview camera

TRW® tilt/telescopic steering column w/foot actuated pedal

Map lights

Power door lock w/remotes

C.B. wire prep

Interior

Dining table/buffet w/40" retractable LCD TV (34B)

40" LCD TV (mid-coach) (36M, 40U, 42E)

Blu-Ray® home theater system

Satellite system ready

Digital TV amplified antenna system

HDMI Matrix central video selection system

Key-activated slideroom master lock switch

MCD American Duo solar/blackout roller shades (lounge, dinette and bedroom)

Soft vinyl ceiling

Queen
Power
digital
Beds

Ex

Power

KeyC

Porc

Power

Ligh

Drive

Ligh

Stora

Mov

Auto

Auxi

Ladd

Rear

Full-

Low

Pre

He

True

cool

A/C

Two

One

BTU

Dua

Trip

El

Serv

cord

chan

2,00

watt

8,00

gene

Cun

EQUIPMENT AT NO EXTRA CHARGE (unless replaced)

Chassis 340-hp Cummins® engine (34B)

Chassis 360-hp Cummins ISB diesel engine (36M)

Chassis 380-hp Cummins ISC diesel engine (40U)

Chassis 400-hp Cummins ISB diesel engine

2500 MH transmission

3000 MH transmission

er

air suspension

tion w/manual shut off
ling jacks

drawbar/500-lb. maximum
B, 36M, 40U)

drawbar/1,500-lb. maximum
(C)

es

sts, lumbar support and
e/swivel

onitor System 6.5" LCD
eather band, remotes,
color camera and sideview

Accent rope lighting

OnePlace® systems center

Tinted dual-glazed/thermo-insulated/flush-mounted coach windows

Powered ventilator fan (galley, bath)

Galley

Corian® countertops

4-door refrigerator/freezer w/icemaker

Microwave/convection oven w/vented range fan

3-burner range top w/storage below

Corian range and sink covers

Cold water filtration system

Bath

Corian countertop and backsplash

Flexible showerhead

Textured glass shower door

Skylight

Porcelain toilet

Area Rug (42E)

Bedroom

26" LCD TV (42E)

32" LCD TV (34B, 36M, 40U)

Queen bed w/innerspring mattress (34B, 36M, 40U)

Powered queen bed w/Ideal Rest® Natural Reserve digital comfort control mattress w/remotes (42E)

Bedsread, pillows, and pillow shams

Exterior

Powered patio awning w/wind sensor

KeyOne® lock system

Porch lights

Powered entrance awning

Lighted storage compartments

Driver's side docking/service light

Lighted stepwell

Storage containers w/lids (4)

generator

Auxiliary

AC/DC

4 Deep-cycle

batteries

Battery

Powerline

Automatic

Chassis

Exterior

Plumbing

Service

diverter

wash station

system,

lights

On-demand

10-gallon

TrueLife

Winter

siphon

Full-cycle

LP tank

LPG and

Heater

Safety

Seat belt

LP, st

10 BO

Group

Fog light

High

Water

12-m

36-m

struc

10-y

skin

awbar/1,500-lb. maximum

es

ts, lumbar support and
/swivel

itor System 6.5" LCD
ather band, remotes,
color camera and sideview

uo® solar/blackout roller

blackout roller shades
(ws)

power switch
arn signal indicator, and

ng column w/foot

etractable LCD TV

6M, 40U, 42E)

tem

na system

selection system

ster lock switch

blackout roller shades
)

Queen bed w/innerspring mattress (34B, 36M, 40U)
Powered queen bed w/Ideal Rest® Natural Reserve
digital comfort control mattress w/remotes (42E)
Bedsread, pillows, and pillow shams

Exterior

Powered patio awning w/wind sensor
KeyOne® lock system
Porch lights
Powered entrance awning
Lighted storage compartments
Driver's side docking/service light
Lighted stepwell
Storage containers w/lids (4)
Movable/removable floor panels in main storage bay
Automatic entrance steps
Auxiliary side lamps
Ladder
Rear mud flaps
Full-width mudguard
Lower front protective mask
Premier clarcoat automotive finish

Heating & Cooling System

TrueAir® Maximum Comfort A/C, 13,500 BTU (2
cooling units 34B, 36M; 3 cooling units 40U, 42E)
A/C heat pumps
Two 20,000 BTU ducted furnaces (34B, 36M)
One 20,000 BTU ducted furnace and one 25,000
BTU ducted furnace (40U, 42E)
Dual-zone thermostat (34B, 36M)
Triple-zone thermostat (40U, 42E)

Electrical System

Service Center lighted, cable input, 50-amp. power
cord, QuickPort®, shoreline/generator automatic
changeover switch, portable satellite hookup
2,000-watt inverter/charger w/remote panel (2,800-
watt w/optional French door refrigerator)
8,000-watt Cummins Onan® Quiet Diesel™
generator
Cummins Onan Energy Command™ automatic

Heated ho

Safety
Seat belts
LP, smok
10 BC fir
Ground f
Fog lamp
High-mo

Warn
12-mont
36-mont
structur
10-year
skin⁸

- 1 The heig
and is ba
of your v
variation
 - 2 Journey
purchase
or all sta
you sho
 - 3 The loa
so you c
home.
 - 4 Capacit
variatio
 - 5 Capacit
filled L
 - 6 Actual
circum
adequa
for furt
 - 7 See sep
 - 8 See yo
- NA Not A
Not all ite
Winnebag
specificati
without no
informatio

E (unless replaced by Optional Equipment)

/flush-mounted

generator start system

Auxiliary start circuit

AC/DC electrical distribution system

4 Deep-cycle Group 31 marine/RV AGM batteries (6 batteries w/optional French door refrigerator)

Battery disconnect system (coach and chassis)

Powerline® Energy Management System

Automatic dual-battery charge control

Chassis battery charger/maintainer

Exterior TV jack and AC duplex

er

l range fan

Plumbing System

Service Center pressurized city water hookup w/diverter fill, fresh water drain, drainage valves, exterior wash station w/pump switch, holding-tank flushing system, 20' sewer hose, QuickPort, QuickConnect®, lights

On-demand water pump

10-gallon water heater 110V/LP gas w/motoraide

TrueLevel™ holding-tank monitoring system

Winterization Package water heater bypass valve and siphon tube

Full-coach water filtration system

LP tank w/gauge

LPG accessory connection (patio area)

Heated holding-tank compartment

4B, 36M, 40U)

tural Reserve
notes (42E)

Safety

Seat belts

LP, smoke and carbon monoxide detectors

10 BC fire extinguisher

Ground fault interrupter

Fog lamps

High-mount brake lamps

Warranty⁷

siphon tube

Full-coach water filtration system

LP tank w/gauge

LPG accessory connection (patio area)

Heated holding-tank compartment

Safety

Seat belts

LP, smoke and carbon monoxide detectors

10 BC fire extinguisher

Ground fault interrupter

Fog lamps

High-mount brake lamps

Warranty⁷

12-month/15,000-mile basic warranty⁸

36-month/36,000-mile limited warranty on structure⁸

10-year limited parts-and-labor warranty on roof skin⁸

- 1 The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by several inches depending on chassis or equipment variations. Please contact your dealer for further information.
- 2 Journey floorplans feature a wide-body design – over 96". In making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
- 3 The load capacity of your motor home is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor home.
- 4 Capacities are based on measurements prior to tank installation. Slight capacity variations can result due to installation applications.
- 5 Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
- 6 Actual towing capacity is dependent on your particular loading and towing circumstances which includes the GVWR, GAWR, and GCWR, as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.
- 7 See separate chassis warranty.
- 8 See your dealer for complete warranty information.

NA Not Available

Not all items available in combination. See dealer for details.

Winnebago Industries® continuing program of product improvement makes specifications, equipment, model availability, and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available at printing.